

PEOPLE HAVE PRIORITY



LED's be independent!



alegra led



Daylight quality LED light for all

Drive on = LED on. This trail-blazing innovation is both astonishing and ingenious. An in-built generator acts as the integrated energy source for the daylight quality LED and operates according to the same principle as a bicycle dynamo.

Working is more enjoyable with an LED

A genuine innovation from W&H: The self-generated LED light is of daylight quality, neutrally-coloured and many times brighter than a conventional halogen light. The LED generator is already integrated into the Alegra straight and contra-angle handpieces and operates completely self-sufficiently. Even on motors without an external light supply!

Guaranteed reliability

With the new generation Alegra straight and contra-angle handpiece program, we have ensured that proven W&H quality made in Austria with state-of-the-art LED technology is accessible for all. The wide Alegra range means that we are able to provide you with precisely what you are looking for. Nothing more. And definitely nothing less. Solid, durable and without the need to invest in any other technical equipment.

Clean solution

Alegra straight and contra-angle handpieces are both thermo-disinfectable and sterilizable. They have been designed to guarantee efficient hygienic preparation.



We allow daylight-quality LEDs to work everywhere. Alegra straight and contra-angle handpieces are compatible with all standard electromotors and air motors on the market.

Long lifespan

Alegra straight and contra-angle handpieces are extremely robust and low on noise and wear – for a long lifespan.

Reliable cooling

Alegra straight and contra-angle handpieces are available with triple-action spray to guarantee best possible cooling for the entire treatment site.

Safety A to Z

The data matrix code makes it easier to identify products and trace hygiene and maintenance processes.



Alegra straight and contra-angle handpieces



Type:	WE-99 LED G	WE-56 LED G	WE-66 LED G
Illumination quality:	Daylight	Daylight	Daylight
Transmission/transition ratio:	1 : 4.5	1 : 1	4 : 1
Head size (∅ mm):	10.1	10.1	10.1
Head height with bur (mm):	22.3	20.7	20.7
Rotary instruments ∅ / max. length (in mm):	1.6 / 25	2.35 / 34	2.35 / 34
Spray:	3-output	1-output	1-output
Guarantee:	12 months	12 months	12 months

ISO connection to:
electromotors
+ air motors

LED's do it!

The best innovation can only offer you something if you are able to work with it immediately. Therefore, W&H has made sure that the LED functions independently with daylight-quality light. No effort whatsoever. No further investment.

Absolutely independent

The idea behind using a generator as a self-sufficient energy source was not new. However, what is a world first is the very thought of integrating a generator directly into the dental instrument and using it – completely independently of your existing unit – to provide daylight quality LED light. See for yourself



Has Alegra piqued your interest?

Further information can be obtained from your dental supplier, at W&H or wh.com

Pictures are for illustrative purposes only. Additional equipment and accessories are not included with the item.

W&H Dentalwerk Bürmoos GmbH
Ignaz-Glaser-Straße 53, Postfach 1
5111 Bürmoos, Austria
t + 43 6274 6236-0
f + 43 6274 6236-55
office@wh.com
wh.com



ISO 13485
93/42/EEC - Annex II